COMMONWEALTH OF KENTUCKY BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

PETITION OF SIGMA GAS COMPANY FOR)	CASE NO. 97-151
A DEVIATION FROM 807 KAR 5:022)	
SECTION 13(17)(G)(4) ODORIZATION REPORT)	

ORDER

On March 21, 1997, Sigma Gas Company ("Sigma") submitted an application for a deviation from 807 KAR 5:022, Section 13(17)(G)(4). This deviation will allow Sigma to conduct testing of the natural gas in its system assuring proper concentration of odorant on a monthly rather than weekly basis.

On April 23, 1997, Staff inspected Sigma's system to review its odorization practices. Sigma's operation of the odorization system and the odorant level in its gas were found to be adequate. Sigma provides a naturally odorized, locally produced, natural gas to its customers. The amount of odorant added to the gas is negligible. The capacity of the odorant tank is one gallon. Sigma estimates the annual savings if the deviation is granted to be \$2,700.

After consideration of the record and being otherwise sufficiently advised, the Commission finds that the petition of Sigma for a deviation from 807 KAR 5:022, Section 13(17)(G)(4), to extend the testing of the odorant levels in the natural gas in its system from weekly to monthly should be granted.

IT IS THEREFORE ORDERED that:

1. Sigma is granted a deviation from 807 KAR 5:022, Section 13(17)(G)(4), to

extend the testing of the odorant levels in the natural gas of its system from weekly to

monthly.

2. Sigma shall keep a monthly test record of the odorant level in its gas of its

system. However, if any test shows a drop in the odorant level below the acceptable level

pursuant to 807 KAR 5:022, Section 13(17)(a), Sigma shall immediately resume weekly

testing for odorant levels.

3. Sigma shall notify the Commission, in writing within 5 days of testing, if the

odorant level drops below that prescribed in 807 KAR 5:022, Section 13(17)(a).

Done at Frankfort, Kentucky, this 12th day of June, 1997.

PUBLIC SERVICE COMMISSION

Chairman

Vice Chairman

Commissioner

ATTEST:

Executive Director